



SIMPLE POUR PLAQUES DE PLATRE

PLAQUES DE PLATRE

simple

Dimension de passage "L x H"	Encombrement "Li x Hi"	Cloison finie/Vide interne "Pf x Si"
600 x 1200÷1990	1320 x 1300÷2090	100/54-125/69
600 x 2010÷2090	1320 x 2110÷2190	100/54-125/69
700 x 1200÷1990	1520 x 1300÷2090	100/54-125/69
700 x 2010÷2090	1520 x 2110÷2190	100/54-125/69
800 x 1200÷1990	1720 x 1300÷2090	100/54-125/69
800 x 2010÷2090	1720 x 2110÷2190	100/54-125/69
900 x 1200÷1990	1920 x 1300÷2090	100/54-125/69
900 x 2010÷2090	1920 x 2110÷2190	100/54-125/69
1000 x 1200÷1990	2120 x 1300÷2090	100/54-125/69
1000 x 2010÷2090	2120 x 2110÷2190	100/54-125/69
1100 x 1200÷1990	2320 x 1300÷2090	125/69
1100 x 2010÷2090	2320 x 2110÷2190	125/69
1200 x 1200÷1990	2520 x 1300÷2090	125/69
1200 x 2010÷2090	2520 x 2110÷2190	125/69



SIMPLE POUR ENDUIT


POUR ENDUIT

simple

Dimension de passage "L x H"	Encombrement "Li x Hi"	Cloison finie/Vide interne "Pf x Si"
600 x 1200÷1990	1320 x 1300÷2090	90/54-105/69-125/89-145/89
600 x 2010÷2090	1320 x 2110÷2190	90/54-105/69-125/89-145/89
700 x 1200÷1990	1520 x 1300÷2090	90/54-105/69-125/89-145/89
700 x 2010÷2090	1520 x 2110÷2190	90/54-105/69-125/89-145/89
800 x 1200÷1990	1720 x 1300÷2090	90/54-105/69-125/89-145/89
800 x 2010÷2090	1720 x 2110÷2190	90/54-105/69-125/89-145/89
900 x 1200÷1990	1920 x 1300÷2090	90/54-105/69-125/89-145/89
900 x 2010÷2090	1920 x 2110÷2190	90/54-105/69-125/89-145/89
1000 x 1200÷1990	2120 x 1300÷2090	90/54-105/69-125/89-145/89
1000 x 2010÷2090	2120 x 2110÷2190	90/54-105/69-125/89-145/89
1100 x 1200÷1990	2320 x 1300÷2090	105/69-125/89-145/89
1100 x 2010÷2090	2320 x 2110÷2190	105/69-125/89-145/89
1200 x 1200÷1990	2520 x 1300÷2090	105/69-125/89-145/89
1200 x 2010÷2090	2520 x 2110÷2190	105/69-125/89-145/89

LEGENDE

- L = Largeur passage
- H = Hauteur passage
- Li = Encombrement en largeur
- Hi = Encombrement en hauteur
- PF = Cloison finie
- Si = Vide interne




DOUBLE POUR PLAQUES DE PLATRE

PLAQUES DE PLATRE

double

Dimension de passage "L x H"	Encombrement "Li x Hi"	Cloison finie/Vide interne "Pf x Si"
1200 x 1200÷1990	2520 x 1300÷2090	100/54-125/69
1200 x 2010÷2090	2520 x 2110÷2190	100/54-125/69
1400 x 1200÷1990	2920 x 1300÷2090	100/54-125/69
1400 x 2010÷2090	2920 x 2110÷2190	100/54-125/69
1600 x 1200÷1990	3320 x 1300÷2090	100/54-125/69
1600 x 2010÷2090	3320 x 2110÷2190	100/54-125/69
1800 x 1200÷1990	3720 x 1300÷2090	100/54-125/69
1800 x 2010÷2090	3720 x 2110÷2190	100/54-125/69
2000 x 1200÷1990	4120 x 1300÷2090	100/54-125/69
2000 x 2010÷2090	4120 x 2110÷2190	100/54-125/69
2200 x 1200÷1990	4520 x 1300÷2090	125/69
2200 x 2010÷2090	4520 x 2110÷2190	125/69
2400 x 1200÷1990	4920 x 1300÷2090	125/69
2400 x 2010÷2090	4920 x 2110÷2190	125/69



DOUBLE POUR ENDUIT

POUR ENDUIT

double

Dimension de passage "L x H"	Encombrement "Li x Hi"	Cloison finie/Vide interne "Pf x Si"
1200 x 1200÷1990	2520 x 1300÷2090	90/54-105/69-125/89-145/89
1200 x 2010÷2090	2520 x 2110÷2190	90/54-105/69-125/89-145/89
1400 x 1200÷1990	2920 x 1300÷2090	90/54-105/69-125/89-145/89
1400 x 2010÷2090	2920 x 2110÷2190	90/54-105/69-125/89-145/89
1600 x 1200÷1990	3320 x 1300÷2090	90/54-105/69-125/89-145/89
1600 x 2010÷2090	3320 x 2110÷2190	90/54-105/69-125/89-145/89
1800 x 1200÷1990	3720 x 1300÷2090	90/54-105/69-125/89-145/89
1800 x 2010÷2090	3720 x 2110÷2190	90/54-105/69-125/89-145/89
2000 x 1200÷1990	4120 x 1300÷2090	90/54-105/69-125/89-145/89
2000 x 2010÷2090	4120 x 2110÷2190	90/54-105/69-125/89-145/89
2200 x 1200÷1990	4520 x 1300÷2090	105/69-125/89-145/89
2200 x 2010÷2090	4520 x 2110÷2190	105/69-125/89-145/89
2400 x 1200÷1990	4920 x 1300÷2090	105/69-125/89-145/89
2400 x 2010÷2090	4920 x 2110÷2190	105/69-125/89 -145/89

LEGENDE

- L = Largeur passage
- H = Hauteur passage
- Li = Encombrement en largeur
- Hi = Encombrement en hauteur
- Pf = Cloison finie
- Si = Vide interne